

シームレス管

SUS304L

外径	×	肉厚	×	長さ	規格	仕上		
6	×	1	×	4000	TP	C		
8	×	1	×	2000	TP	C		
				4000	TP	C		
			×	1.5	×	4000	〃	〃
10	×	1	×	2000	TP	C		
			×	4000	〃	〃		
10.5	×	1.2	×	4000	TP	C		
			×	1.5	×	4000	〃	〃
			×	1.7	×	4000	〃	〃
			×	2.4	×	4000	〃	〃
12	×	1	×	4000	TP	C		
12.7	×	1	×	4000	TP	C		
13.8	×	1.2	×	4000	TP	C		
			×	1.65	×	4000	〃	〃
			×	2	×	4000	〃	〃
			×	2.2	×	4000	〃	〃
			×	3	×	4000	〃	〃
			×	5500	〃	〃		
17.3	×	1.2	×	4000	TP	C		
			×	1.65	×	4000	〃	〃
					×	5500	〃	〃
			×	2	×	4000	〃	〃
					×	5500	〃	〃
			×	2.3	×	4000	〃	〃
		×	5500	〃	〃			
×	3.2	×	4000	〃	〃			
		×	5500	〃	〃			
21.7	×	1.65	×	4000	TP	C		
					×	5500	〃	〃
			×	2.1	×	4000	〃	〃
					×	5500	〃	〃
			×	2.5	×	4000	〃	〃
		×	5500	〃	〃			
×	2.8	×	4000	〃	〃			

外径	×	肉厚	×	長さ	規格	仕上		
21.7	×	2.8	×	5500	TP	C		
			×	3.7	×	4000	〃	〃
					×	5500	〃	〃
			×	4.7	×	4000	〃	〃
					×	5500	〃	〃
27.2	×	1.65	×	4000	TP	C		
			×	2.1	×	4000	〃	〃
					×	5500	〃	〃
			×	2.5	×	4000	〃	〃
					×	5500	〃	〃
			×	2.9	×	4000	〃	〃
					×	5500	〃	〃
			×	3.9	×	4000	〃	〃
		×	5500	〃	〃			
34	×	1.65	×	4000	TP	C		
			×	2.8	×	4000	〃	H
					×	5500	〃	C/H
			×	3	×	4000	〃	〃
					×	5500	〃	〃
			×	3.4	×	4000	〃	〃
					×	5500	〃	〃
			×	4.5	×	4000	〃	〃
					×	5500	〃	〃
			×	6.4	×	4000	〃	C
		×	5500	〃	〃			
42.7	×	1.65	×	4000	TP	C		
			×	2.8	×	4000	〃	C/H
					×	5500	〃	〃
			×	3	×	4000	〃	H
					×	5500	〃	〃
×	3.6	×	4000	〃	〃			
		×	5500	〃	〃			



## シームレス管

## SUS304L

外径	×	肉厚	×	長さ	規格	仕上
42.7	×	4.9	×	4000	TP	H
			×	5500	〃	〃
	×	6.4	×	4000	〃	〃
			×	5500	〃	〃
48.6	×	1.65	×	4000	TP	C
			×	5500	〃	〃
	×	2.8	×	4000	〃	C/H
			×	5500	〃	〃
	×	3	×	4000	〃	H
			×	5500	〃	〃
	×	3.7	×	4000	〃	〃
			×	5500	〃	〃
	×	5.1	×	4000	〃	〃
			×	5500	〃	〃
×	7.1	×	4000	〃	〃	
		×	5500	〃	〃	
60.5	×	1.65	×	4000	TP	C
			×	5500	〃	〃
	×	2.8	×	4000	〃	C/H
			×	5500	〃	〃
	×	3.5	×	4000	〃	H
			×	5500	〃	〃
	×	3.9	×	4000	〃	〃
			×	5500	〃	〃
×	5.5	×	4000	〃	〃	
		×	5500	〃	〃	
×	8.7	×	4000	〃	〃	
		×	5500	〃	〃	
76.3	×	3	×	4000	TP	H
			×	5500	〃	〃
	×	3.5	×	4000	〃	〃
			×	5500	〃	〃
	×	5.2	×	4000	〃	〃
			×	5500	〃	〃
×	7	×	4000	〃	〃	

外径	×	肉厚	×	長さ	規格	仕上
76.3	×	7	×	5500	TP	H
			×	4000	〃	〃
	×	9.5	×	5500	〃	〃
	×		4000	〃	〃	
89.1	×	3	×	4000	TP	C
			×	5500	〃	〃
			×	6000	〃	H
	×	4	×	4000	〃	〃
			×	5500	〃	〃
	×	5.5	×	4000	〃	〃
			×	5500	〃	〃
	×	7.6	×	4000	〃	〃
			×	5500	〃	〃
	×	11.1	×	4000	〃	〃
	×		5500	〃	〃	
101.6	×	4	×	4000	TP	H
			×	5500	〃	〃
	×	5.7	×	4000	〃	〃
			×	5500	〃	〃
	×	8.1	×	4000	〃	〃
			×	5500	〃	〃
	×	12.7	×	4000	〃	〃
	×		5500	〃	〃	
114.3	×	3	×	4000	TP	H
			×	5500	〃	〃
	×	4	×	4000	〃	〃
			×	5500	〃	〃
	×	6	×	4000	〃	〃
			×	5500	〃	〃
	×	8.6	×	4000	〃	〃
	×		5500	〃	〃	
×	13.5	×	4000	〃	〃	
		×	5500	〃	〃	
139.8	×	5	×	4000	TP	H
			×	5500	〃	〃
	×	6.6	×	4000	〃	〃

SUS304L

PIKRO STAINLESS STOCK LIST

シームレス管

SUS304L

外径	×	肉厚	×	長さ	規格	仕上
139.8	×	6.6	×	5500	TP	H
	×	9.5	×	4000	〃	〃
	×	12.7	×	6000	〃	〃
	×	15.9	×	4000	〃	〃
165.2	×	5	×	4000	TP	H
			×	5500	〃	〃
	×	7.1	×	4000	〃	〃
			×	5500	〃	〃
			×	6000	〃	〃
	×	11	×	4000	〃	〃
			×	5500	〃	〃
			×	6000	〃	〃
×	18.2	×	4000	〃	〃	
		×	6000	〃	〃	
216.3	×	6.5	×	4000	TP	H
			×	5500	〃	〃
	×	8.2	×	4000	〃	〃
			×	5500	〃	〃
	×		12.7	×	4000	〃
		×		5500	〃	〃